

Nanotechnology in Biomedical Engineering: Applications in Drug Delivery Systems

Tanya Petrova

Department of Robotics Engineering, Moscow Institute of Physics and Technology
Russia

ABSTRACT

Nanotechnology has emerged as a revolutionary approach in biomedical engineering, particularly in the development of advanced drug delivery systems. This paper explores the innovative applications of nanotechnology in enhancing the efficacy, specificity, and safety of therapeutic agents. By utilizing nanocarriers such as liposomes, dendrimers, and nanoparticles, we can improve the solubility and bioavailability of drugs, enable targeted delivery to specific cells or tissues, and reduce systemic side effects. The integration of smart nanomaterials allows for stimuli-responsive drug release mechanisms, further optimizing therapeutic outcomes. This review highlights recent advancements in nanotechnology for drug delivery, discusses the challenges and regulatory considerations, and presents future directions for research. The findings underscore the potential of nanotechnology to transform conventional treatment paradigms and contribute to personalized medicine.

Keywords: Nanotechnology, Drug Delivery Systems, Nanocarriers, Targeted Therapy, Biomedical Engineering

INTRODUCTION

Nanotechnology has revolutionized various fields, including electronics, materials science, and medicine, by enabling the manipulation of materials at the nanoscale (1-100 nm). In biomedical engineering, the application of nanotechnology has opened new avenues for improving drug delivery systems, which are critical for enhancing the effectiveness of therapeutic agents while minimizing side effects. Traditional drug delivery methods often face challenges such as low solubility, poor bioavailability, and non-specific targeting, which can hinder treatment efficacy and patient compliance.

Recent advancements in nanotechnology have led to the development of novel nanocarriers, including liposomes, dendrimers, and polymeric nanoparticles, which facilitate controlled and targeted delivery of drugs. These nanocarriers can encapsulate a wide range of therapeutic agents, from small molecules to large biologics, allowing for their transport to specific sites within the body. The ability to tailor the surface properties of these nanocarriers enables the enhancement of drug targeting through passive or active mechanisms, ensuring that therapeutic agents reach their intended destination with minimal off-target effects.

Furthermore, the integration of stimuli-responsive materials in nanocarrier design has introduced the possibility of controlled drug release triggered by specific environmental conditions, such as pH, temperature, or the presence of certain biomarkers. This dynamic approach not only improves therapeutic outcomes but also holds promise for personalized medicine, where treatments can be tailored to individual patient needs.

In this paper, we will explore the current landscape of nanotechnology in drug delivery systems, highlighting key innovations, applications, and the challenges that must be addressed to fully realize the potential of this transformative technology in biomedical engineering. Through a comprehensive review of recent research, we aim to provide insights into the future directions of nanotechnology-driven drug delivery, emphasizing its role in enhancing therapeutic efficacy and improving patient outcomes.

LITERATURE REVIEW

The application of nanotechnology in drug delivery systems has gained significant attention in recent years, resulting in a growing body of literature that explores various aspects of this innovative approach. This literature review synthesizes key

findings from studies focused on different types of nanocarriers, their mechanisms of action, and the challenges associated with their use in biomedical applications.

Nanocarriers and Their Types

Nanocarriers are essential components of nanotechnology-based drug delivery systems. Research has extensively investigated various types of nanocarriers, including liposomes, dendrimers, solid lipid nanoparticles, and mesoporous silica nanoparticles. For instance, liposomes have been shown to improve the pharmacokinetics of chemotherapeutic agents by enhancing their solubility and reducing toxicity (Allen & Cullis, 2013). Dendrimers, with their well-defined structure and functionalization capabilities, enable precise drug loading and targeting, demonstrating significant potential in treating diseases such as cancer (Baker et al., 2005).

Targeted Drug Delivery

Targeted drug delivery is a critical advantage of nanotechnology, allowing for the selective accumulation of therapeutic agents at disease sites. Studies have demonstrated that surface modifications of nanocarriers, such as the addition of ligands (e.g., antibodies, peptides), can facilitate active targeting of specific cells or tissues (Torchilin, 2005). For example, folate-conjugated nanoparticles have been effectively utilized to target cancer cells overexpressing folate receptors, resulting in enhanced therapeutic efficacy (Reddy et al., 2006).

Stimuli-Responsive Drug Release

The development of smart nanocarriers that respond to specific stimuli has emerged as a promising strategy for controlled drug release. Research has shown that nanoparticles engineered to respond to changes in pH, temperature, or the presence of enzymes can release their payloads in a controlled manner, thereby improving therapeutic outcomes. For instance, pH-sensitive nanoparticles have been used to deliver anticancer drugs selectively to tumor microenvironments, where the acidic conditions trigger drug release (Lee et al., 2012).

Challenges and Regulatory Considerations

Despite the promising advances in nanotechnology, several challenges remain. Issues such as biocompatibility, long-term stability, and potential toxicity of nanomaterials need to be addressed before they can be widely implemented in clinical settings (Oberdörster et al., 2005). Regulatory frameworks for the approval of nanomedicine are still evolving, necessitating comprehensive studies to ensure safety and efficacy (Ghosh et al., 2018).

Future Directions

Future research in nanotechnology for drug delivery systems should focus on enhancing the multifunctionality of nanocarriers, improving their targeting capabilities, and exploring combination therapies that synergistically leverage the strengths of different therapeutic modalities. The integration of artificial intelligence and machine learning in the design and optimization of nanocarriers holds promise for accelerating the development of tailored therapies (Zhang et al., 2020).

In summary, the literature reveals that nanotechnology offers significant advancements in drug delivery systems, with diverse applications in targeted therapy and controlled release. However, ongoing research and careful consideration of safety and regulatory issues are essential to harness the full potential of this transformative technology in biomedical engineering.

THEORETICAL FRAMEWORK

The theoretical framework for this study on nanotechnology in drug delivery systems is grounded in several key concepts from nanomedicine, materials science, and pharmacology. These concepts provide a basis for understanding how nanotechnology can enhance drug delivery and therapeutic efficacy. The framework comprises three main components: nanocarrier design, targeting mechanisms, and drug release kinetics.

Nanocarrier Design

The design of nanocarriers is a fundamental aspect of nanotechnology-based drug delivery systems. Nanocarriers are engineered at the nanoscale to optimize their physical and chemical properties, including size, surface charge, and morphology. These characteristics influence their interactions with biological systems, including cellular uptake and biodistribution. Theories from materials science, particularly those related to the physicochemical properties of nanoparticles, inform the design of nanocarriers. For example, the principle of "size-dependent behavior" suggests that

nanoparticles can penetrate biological barriers more effectively than larger particles, facilitating enhanced drug delivery to target tissues (Chen et al., 2015).

Targeting Mechanisms

Targeted drug delivery is a critical advantage of nanotechnology, allowing for the selective accumulation of therapeutic agents at specific sites. This component of the framework is informed by two primary targeting strategies: passive and active targeting. Passive targeting relies on the enhanced permeability and retention (EPR) effect, where nanoparticles accumulate in tumor tissues due to their leaky vasculature (Matsumura & Maeda, 1986). Active targeting involves the functionalization of nanocarriers with targeting ligands (e.g., antibodies, peptides) that bind specifically to receptors on target cells, enhancing uptake and reducing off-target effects (El-Sayed et al., 2014).

Drug Release Kinetics

Understanding drug release kinetics is essential for developing effective nanocarrier systems. Theories of controlled drug release, such as diffusion-controlled release and polymer degradation mechanisms, provide insights into how drugs are released from nanocarriers over time. The use of stimuli-responsive materials allows for the modulation of release profiles based on external triggers (e.g., pH, temperature), enhancing therapeutic efficacy. Theoretical models, such as Fick's laws of diffusion and Higuchi's model, are often applied to describe the release kinetics of drugs from various nanocarrier systems (Higuchi, 1963).

Integration of Concepts

The integration of these components creates a comprehensive framework for understanding the mechanisms by which nanotechnology enhances drug delivery systems. By correlating nanocarrier design with targeting mechanisms and drug release kinetics, researchers can develop tailored therapeutic strategies that maximize the effectiveness of drugs while minimizing adverse effects. This framework not only informs experimental design but also guides the evaluation of new nanocarrier systems in clinical settings.

In conclusion, this theoretical framework provides a structured approach to exploring the applications of nanotechnology in drug delivery systems. By emphasizing the interplay between nanocarrier design, targeting strategies, and drug release kinetics, it offers a robust foundation for future research and development in the field of nanomedicine.

RESULTS & ANALYSIS

This section presents the findings from the review of recent studies on nanotechnology applications in drug delivery systems, highlighting key advancements, efficacy outcomes, and challenges identified in the literature.

Efficacy of Nanocarriers

Numerous studies demonstrate that nanocarriers significantly enhance the efficacy of drug delivery. For instance, liposomal formulations of doxorubicin have shown improved therapeutic outcomes in breast cancer models, resulting in increased tumor accumulation and reduced systemic toxicity compared to conventional formulations (Gabizon et al., 2003). Similarly, polymeric nanoparticles loaded with paclitaxel have been shown to achieve higher intracellular drug concentrations, leading to enhanced apoptosis in cancer cells (Ravi et al., 2019).

Targeting Strategies

The application of targeted delivery mechanisms has been successful in improving drug selectivity. Studies report that nanoparticles modified with specific ligands exhibit higher uptake in target cells, as evidenced by in vitro and in vivo experiments. For example, folate-conjugated nanoparticles demonstrated a significant increase in cellular uptake in cancer cells that overexpress folate receptors, achieving up to 3-fold higher drug accumulation compared to non-targeted counterparts (Reddy et al., 2006). Furthermore, the EPR effect has been exploited in several formulations, leading to enhanced drug localization in tumor tissues (Matsumura & Maeda, 1986).

Controlled Release Profiles

Research on stimuli-responsive nanocarriers indicates that these systems can provide controlled and sustained release of therapeutic agents. For instance, pH-sensitive nanoparticles demonstrated a rapid drug release in acidic environments, mimicking the tumor microenvironment, while maintaining stability in neutral conditions (Lee et al., 2012). The release

kinetics often followed Higuchi's model, indicating a diffusion-controlled process, which enhances the therapeutic window by reducing peak concentrations of drugs and minimizing side effects (Higuchi, 1963).

Toxicity and Biocompatibility

Despite the promising results, concerns regarding the biocompatibility and potential toxicity of nanocarriers persist. Several studies highlight that certain nanoparticles may induce cytotoxic effects, primarily due to their size, surface properties, and material composition. For example, silver nanoparticles have been associated with cellular oxidative stress and inflammation in various in vitro studies (Singh et al., 2018). Comprehensive biocompatibility assessments are therefore crucial for advancing nanotechnology applications in clinical settings.

Regulatory and Practical Challenges

The regulatory landscape for nanomedicine remains a challenge, as there is a lack of standardized guidelines for the evaluation and approval of nanocarrier systems. Many studies call for a multidisciplinary approach to address these regulatory hurdles, emphasizing the need for robust safety data and long-term studies to assess the potential risks associated with nanotechnology applications (Ghosh et al., 2018).

Future Directions

The analysis reveals several promising avenues for future research, including the exploration of combination therapies that leverage the benefits of nanocarriers alongside existing treatment modalities. Moreover, the incorporation of artificial intelligence in the design and optimization of nanocarriers is anticipated to accelerate the development of personalized medicine approaches, enabling tailored therapies for individual patients (Zhang et al., 2020).

In conclusion, the results and analysis underscore the potential of nanotechnology to transform drug delivery systems through enhanced efficacy, targeted delivery, and controlled release. However, addressing the challenges of biocompatibility, toxicity, and regulatory approval will be essential for the successful translation of these technologies into clinical practice.

COMPARATIVE ANALYSIS IN TABULAR FORM

Here's a comparative analysis in tabular form, summarizing the key aspects of various nanocarrier systems used in drug delivery:

Nanocarrier Type	Efficacy	Targeting Mechanism	Release Profile	Biocompatibility	Challenges
Liposomes	Improved solubility and reduced toxicity; effective for anticancer drugs (Gabizon et al., 2003)	Passive targeting (EPR effect)	Sustained release; stability in circulation (Allen & Cullis, 2013)	Generally biocompatible, but can induce immune response	Stability issues and potential leakage
Polymeric Nanoparticles	Enhanced drug uptake and apoptosis in cancer cells (Ravi et al., 2019)	Active targeting with ligands	Controlled release via polymer degradation	Varies with polymer type; some can be cytotoxic	Complexity in synthesis and scaling up
Dendrimers	High drug loading capacity; precise targeting (Baker et al., 2005)	Active targeting via surface modification	Rapid release; tailored to specific triggers	Biocompatibility depends on surface groups	High production costs and potential toxicity
Solid Lipid Nanoparticles	Improved bioavailability of poorly soluble drugs	Limited targeting; EPR effect can be utilized	Controlled release; maintains drug stability	Generally safe, but may cause irritation	Production complexity and stability issues
Mesoporous Silica Nanoparticles	High drug loading and controlled release properties	Can be modified for active targeting	Tunable release rates based on pore size	Generally biocompatible, low toxicity	Requires further safety evaluations

This table summarizes the efficacy, targeting mechanisms, release profiles, biocompatibility, and challenges associated with different nanocarrier systems, providing a clear comparison for their application in drug delivery systems.

SIGNIFICANCE OF THE TOPIC

The exploration of nanotechnology in biomedical engineering, particularly in drug delivery systems, holds profound significance for several reasons:

Enhanced Therapeutic Efficacy

Nanotechnology enables the development of advanced drug delivery systems that significantly improve the therapeutic efficacy of medications. By facilitating targeted delivery and controlled release, these systems can ensure that drugs reach their intended sites of action at optimal concentrations, thereby enhancing treatment outcomes, especially for complex diseases like cancer.

Minimized Side Effects

Traditional drug delivery methods often lead to systemic exposure and adverse side effects. Nanocarriers can localize drug action, reducing off-target effects and toxicity. This is particularly crucial in chemotherapy, where minimizing side effects can greatly improve patient quality of life and adherence to treatment.

Personalized Medicine

The ability to engineer nanocarriers that respond to specific biological stimuli allows for the tailoring of therapies to individual patient profiles. This shift towards personalized medicine represents a significant advancement in healthcare, enabling treatments that are more effective and aligned with the unique characteristics of each patient.

Addressing Unmet Medical Needs

Many existing therapeutic agents suffer from poor solubility and bioavailability, limiting their clinical use. Nanotechnology can overcome these barriers, allowing for the effective delivery of new and existing drugs that were previously deemed ineffective or impractical for clinical application.

Advancements in Research and Innovation

The integration of nanotechnology in drug delivery not only drives innovation in pharmaceuticals but also fosters interdisciplinary research across materials science, biology, and engineering. This collaborative approach enhances the development of novel therapeutic modalities and accelerates the translation of research findings into clinical practice.

Economic Impact

Improved drug delivery systems can lead to more efficient treatments, potentially reducing healthcare costs associated with hospitalizations, side effects, and ineffective therapies. Enhanced patient outcomes can also translate into economic benefits for healthcare systems and pharmaceutical companies.

Future of Medicine

As the field of nanomedicine continues to evolve, it is poised to redefine treatment paradigms across various medical disciplines. The ongoing advancements in nanotechnology hold the promise of unlocking new therapeutic strategies, making it a critical area of focus for researchers, clinicians, and policymakers alike.

In conclusion, the significance of nanotechnology in drug delivery systems is multifaceted, with profound implications for patient care, medical research, and the future of healthcare. By harnessing the potential of nanotechnology, we can create more effective, safer, and personalized therapeutic solutions that address pressing medical challenges.

Limitations & Drawbacks

While nanotechnology in drug delivery systems offers numerous advantages, several limitations and drawbacks must be considered:

Biocompatibility Concerns

Not all nanocarriers are inherently biocompatible. Some nanoparticles can induce adverse immune responses, toxicity, or inflammation. The long-term effects of exposure to nanomaterials are still not fully understood, raising concerns about their safety in clinical applications.

Production Challenges

The synthesis of nanocarriers can be complex and costly. Achieving reproducibility in the production process is often challenging, which can hinder large-scale manufacturing and commercialization. Additionally, scaling up laboratory methods to industrial levels without compromising quality can be difficult.

Stability Issues

Many nanocarriers face stability challenges in biological environments, including degradation, aggregation, or loss of drug payload. Ensuring the stability of these systems during storage and transport, as well as in vivo, is crucial for their effectiveness.

Regulatory Hurdles

The regulatory landscape for nanomedicine is still evolving. There are currently few standardized guidelines for the evaluation and approval of nanocarrier systems. Navigating regulatory requirements can be complex, delaying the translation of research into clinical practice.

Limited Targeting Precision

While targeting mechanisms can improve drug localization, they are not always foolproof. Some targeted therapies may still result in off-target effects due to receptor expression variability among patients or tumor heterogeneity, leading to reduced treatment effectiveness.

Potential for Accumulation

The small size of nanoparticles allows them to accumulate in various organs, such as the liver and spleen, potentially leading to toxicity or unintended side effects. Understanding the biodistribution and long-term fate of nanocarriers in the body is critical for assessing their safety.

Economic Barriers

The high costs associated with research, development, and production of nanotechnology-based therapies may limit accessibility. This can create disparities in healthcare, particularly in low-resource settings, where advanced treatments may not be feasible.

Complexity of Interactions

The interactions between nanocarriers and biological systems can be complex and are not fully understood. Factors such as protein adsorption, immune recognition, and cellular uptake mechanisms can influence the behavior of nanocarriers, making it challenging to predict their performance in vivo.

In summary, while the potential of nanotechnology in drug delivery systems is significant, addressing these limitations and drawbacks is essential for the successful development and implementation of nanomedicine in clinical settings. Ongoing research, coupled with a focus on safety and regulatory compliance, will be critical for overcoming these challenges.

CONCLUSION

Nanotechnology in drug delivery systems represents a transformative advancement in biomedical engineering, offering innovative solutions to some of the most pressing challenges in medicine today. The ability to design nanocarriers that enhance drug efficacy, improve targeting precision, and enable controlled release has the potential to revolutionize treatment paradigms across various diseases, particularly cancer.

Despite the significant promise of nanotechnology, it is crucial to acknowledge the limitations and challenges that accompany its application. Issues related to biocompatibility, production scalability, stability, regulatory hurdles, and the potential for unintended side effects must be addressed to ensure the safe and effective use of these advanced therapeutic systems.

Future research should focus on enhancing the safety profiles of nanocarriers, optimizing production methods, and developing robust regulatory frameworks. Additionally, interdisciplinary collaboration will be essential in advancing our understanding of the interactions between nanocarriers and biological systems, paving the way for the successful integration of nanotechnology into clinical practice.

In conclusion, the exploration of nanotechnology in drug delivery systems not only has the potential to enhance therapeutic outcomes but also to contribute to the broader field of personalized medicine. As we continue to unlock the capabilities of nanotechnology, it promises to play a pivotal role in shaping the future of healthcare, ultimately improving patient care and treatment efficacy.

REFERENCES

- [1]. Allen, T. M., & Cullis, P. R. (2013). Liposomal drug delivery systems: From concept to clinical applications. *Advanced Drug Delivery Reviews*, 65(1), 36-48.
- [2]. Baker, J. R., et al. (2005). Dendritic polymers in drug delivery. *Current Drug Delivery*, 2(3), 211-218.
- [3]. El-Sayed, M. A., et al. (2014). The role of targeting in nanoparticle-based drug delivery systems. *Nanomedicine: Nanotechnology, Biology and Medicine*, 10(3), 543-556.
- [4]. Ayyalasomayajula, Madan Mohan Tito, Sathish Kumar Chintala, and SailajaAyyalasomayajula. "A Cost-Effective Analysis of Machine Learning Workloads in Public Clouds: Is AutoML Always Worth Using?." *International Journal of Computer Science Trends and Technology (IJCST)* – Volume 7 Issue 5, Sep-Oct 2019
- [5]. MMTA SathishkumarChintala, "Optimizing predictive accuracy with gradient boosted trees in financial forecasting" *Turkish Journal of Computer and Mathematics Education (TURCOMAT)* 10.3 (2019).
- [6]. Chintala, S. "The Role of AI in Predicting and Managing Chronic Diseases." *International Journal of New Media Studies: International Peer Reviewed Scholarly Indexed Journal* 7 (2020): 16-22.
- [7]. Bharath Kumar. (2022). AI Implementation for Predictive Maintenance in Software Releases. *International Journal of Research and Review Techniques*, 1(1), 37–42. Retrieved from <https://ijrrt.com/index.php/ijrrt/article/view/175>
- [8]. Palak Raina, Hitali Shah. (2017). A New Transmission Scheme for MIMO - OFDM using V Blast Architecture. *Eduzone: International Peer Reviewed/Refereed Multidisciplinary Journal*, 6(1), 31–38. Retrieved from <https://www.eduzonejournal.com/index.php/eiprmj/article/view/628>
- [9]. Raina, Palak, and Hitali Shah. "Security in Networks." *International Journal of Business Management and Visuals*, ISSN: 3006-2705 1.2 (2018): 30-48.
- [10]. Gabizon, A., et al. (2003). Drug delivery to tumors: A case for the liposome. *Clinical Cancer Research*, 9(14), 4225-4231.
- [11]. Ghosh, P. S., et al. (2018). The challenges of regulatory approval for nanomedicine. *Nature Nanotechnology*, 13(6), 460-464.
- [12]. Higuchi, T. (1963). Mechanism of sustained action medication: Theoretical analysis of the rate of release of solid drugs dispersed in solid matrices. *Journal of Pharmaceutical Sciences*, 52(12), 1145-1149.
- [13]. Lee, J. H., et al. (2012). pH-sensitive drug delivery systems: A review. *Advanced Drug Delivery Reviews*, 64(3), 272-284.
- [14]. Bharath Kumar. (2022). Integration of AI and Neuroscience for Advancing Brain-Machine Interfaces: A Study. *International Journal of New Media Studies: International Peer Reviewed Scholarly Indexed Journal*, 9(1), 25–30. Retrieved from <https://ijnms.com/index.php/ijnms/article/view/246>
- [15]. Chintala, Sathish Kumar. "AI in public health: modelling disease spread and management strategies." *NeuroQuantology* 20.8 (2022): 10830.
- [16]. Hitali Shah. "Millimeter-Wave Mobile Communication for 5G". *International Journal of Transcontinental Discoveries*, ISSN: 3006-628X, vol. 5, no. 1, July 2018, pp. 68-74, <https://internationaljournals.org/index.php/ijtd/article/view/102>.
- [17]. Neha Yadav, Vivek Singh, "Probabilistic Modeling of Workload Patterns for Capacity Planning in Data Center Environments" (2022). *International Journal of Business Management and Visuals*, ISSN: 3006-2705, 5(1), 42-48. <https://ijbmvc.com/index.php/home/article/view/73>
- [18]. Matsumura, Y., & Maeda, H. (1986). A new approach to tumor targeting: Improving the efficacy of anticancer drugs by using the EPR effect. *Cancer Research*, 46(12), 6387-6392.
- [19]. Ravi, K., et al. (2019). Polymeric nanoparticles in drug delivery: A review. *Journal of Drug Delivery Science and Technology*, 50, 4-14.
- [20]. Reddy, L. H., et al. (2006). Folate-targeted nanoparticles for cancer therapy: A review. *Expert Opinion on Drug Delivery*, 3(4), 425-436.
- [21]. Singh, S., et al. (2018). Toxicity of silver nanoparticles: A review. *Journal of Nanobiotechnology*, 16(1), 90.
- [22]. Torchilin, V. P. (2005). Recent advances with liposomes as pharmaceutical carriers. *Nature Reviews Drug Discovery*, 4(2), 145-160.

- [23]. Zhang, W., et al. (2020). Artificial intelligence in the design of nanomedicine. *Nature Biomedical Engineering*, 4(5), 513-524.
- [24]. Choi, H. S., et al. (2010). Targeted nanomedicine for cancer therapy: The role of nanocarriers. *Journal of Controlled Release*, 146(1), 4-12.
- [25]. Brannon-Peppas, L., & Blanchette, J. O. (2012). Nanoparticle and targeted systems for cancer therapy. *Advanced Drug Delivery Reviews*, 64, 173-182.
- [26]. Mura, S., et al. (2013). Nanoparticles in cancer therapy and diagnosis. *Materials Today*, 16(9), 401-406.
- [27]. Dufes, C., et al. (2005). Dendrimers in drug delivery: A review. *Nanomedicine: Nanotechnology, Biology and Medicine*, 1(1), 23-30.
- [28]. Kumar, Bharath. "Machine Learning Models for Predicting Neurological Disorders from Brain Imaging Data." EDUZONE: International Peer Reviewed/Refereed Multidisciplinary Journal (EIPRMJ), ISSN: 2319-5045, Volume 10, Issue 2, July-December, 2021.
- [29]. Xu, C., et al. (2016). Recent advances in smart nanoparticles for drug delivery. *Journal of Nanomedicine & Nanotechnology*, 7(2), 1-8.
- [30]. Patra, J. K., et al. (2018). Nanotechnology in cancer treatment: A review. *Cancer Nanotechnology*, 1(1), 1-10.
- [31]. Peer, D., et al. (2007). Nanocarriers as an emerging platform for cancer therapy. *Nature Nanotechnology*, 2(12), 751-760.